

Pupil allergy policy

Lower Kersal Primary School



Approved by:	S.Steward	Date: 16.07.2026
Last reviewed on:	16.07.2026	
Next review due by:	01.07.2027	

Contents

1. Aims	2
2. Legislation and guidance	2
3. Roles and responsibilities	2
4. Assessing risk	4
5. Managing risk	5
6. Procedures for handling an allergic reaction	6
7. Adrenaline auto-injectors (AAIs)	7
8. Training	8
9. Links to other policies	8

1. Aims

This policy aims to:

- Set out our school's approach to allergy management, including reducing the risk of exposure and the procedures in place in case of allergic reaction
- Make clear how our school supports pupils with allergies to ensure their wellbeing and inclusion
- Promote and maintain allergy awareness among the school community

2. Legislation and guidance

This policy is based on the Department for Education (DfE)'s guidance on [allergies in schools](#) and [supporting pupils with medical conditions at school](#), the Department of Health and Social Care's guidance on [using emergency adrenaline auto-injectors in schools](#), and the following legislation:

- [The Food Information Regulations 2014](#)
- [The Food Information \(Amendment\) \(England\) Regulations 2019](#)

3. Roles and responsibilities

We take a whole-school approach to allergy awareness.

3.1 Allergy lead

The nominated allergy lead is Christine Boote

They're responsible for:

- Promoting and maintaining allergy awareness across our school community
- Recording and collating allergy and special dietary information for all relevant pupils, including Individual Health Care Plans
- Christine Boote will have ultimate responsibility to liaise with 0-19's School Health Nursing Team, and admin team ensuring all relevant dietary information is collated and disseminated across the school community
- Ensuring:

- All allergy information is up to date and readily available to relevant members of staff
 - All pupils with allergies have an allergy action plan completed by a medical professional
 - All staff including permanent, temporary, supply, peripatetic, agency and regular volunteers, and catering staff receive an appropriate level of allergy training
 - All staff are aware of the school's policy and procedures regarding allergies
 - Relevant staff are aware of what activities need an allergy risk assessment
 - Induction arrangements for new staff as well as arrangements to ensure supply and cover staff have received allergy awareness training
- Liaising with the administrative team and keeping stock of the school's adrenaline auto-injectors (AAIs)
 - Regularly reviewing and updating the allergy policy

3.2 School nurse/medical officer

The school nurse/medical officer is responsible for:

- Co-ordinating the paperwork and information from families
- Co-ordinating medication with families
- Checking spare AAIs are in date
- Any other appropriate tasks delegated by the allergy lead

3.3 Teaching and support staff

All teaching and support staff are responsible for:

- Promoting and maintaining allergy awareness among pupils
- Maintaining awareness of our allergy policy and procedures; awareness, the risks it poses, how allergic reactions can occur and how to manage this
- Being able to recognise the signs of severe allergic reactions and anaphylaxis
- Attending appropriate allergy training as required
- Being aware of specific pupils with allergies in their care
- Carefully considering the use of food or other potential allergens in lesson and activity planning
- Ensuring the wellbeing and inclusion of pupils with allergies
- Understand that allergy includes multiple conditions (food allergy, asthma, eczema, hay fever)
- Understand the difference between food allergy, coeliac disease and food intolerance
- Ensuring you are aware of where to find information on allergy triggers
- Know how to respond in an emergency, including; -
 - Calling emergency services and informing parents/carers
 - How to locate and administer emergency medication (adrenaline for anaphylaxis, asthma reliever inhaler for an asthma attack)
 - Training on how to use the medication/device in an emergency (whether prescribed to a given person or the school's 'spare' adrenaline device)
- Understand the **impact** allergy can have on a child or young person's wellbeing

- Know how to check whether an individual is on the record of those with known allergy and how to use an Allergy or Asthma Plan
- Understand their **responsibilities** in reducing risk of individuals with known allergy coming into contact with their known allergens
- Understand how to **report** an allergic reaction or case of anaphylaxis (whether an incident or 'near miss')

3.4 Parents/carers

Parents/carers are responsible for:

- Being aware of our school's allergy policy
- Providing the school with up-to-date details of their child's medical needs, dietary requirements, and any history of allergies, reactions and anaphylaxis
- If required, providing their child with 2 in-date adrenaline auto-injectors and any other medication, including inhalers, antihistamine etc., and making sure these are replaced in a timely manner
- Carefully considering the food they provide to their child as packed lunches and snacks, and trying to limit the number of allergens included
- Following the school's guidance on food brought in to be shared
- Updating the school on any changes to their child's condition

3.5 Pupils with allergies

These pupils are responsible for:

- Being aware of their allergens and the risks they pose
- Understanding how and when to use their adrenaline auto-injector
- If age-appropriate, carrying their adrenaline auto-injector on their person and only using it for its intended purpose

3.6 Pupils without allergies

These pupils are responsible for:

- Being aware of allergens and the risk they pose to their peers
- Older pupils might also be expected to support their peers and staff in the case of an emergency.

4. Assessing risk

The school will conduct a risk assessment for any pupil at risk of anaphylaxis taking part in:

- Lessons such as food technology
- Science experiments involving foods
- Crafts using food packaging
- Off-site events and school trips
- Any other activities involving animals or food, such as animal handling experiences or baking

- A risk assessment for any pupil at risk of an allergic reaction will also be carried out where a visitor requires a guide dog.

5. Managing risk

5.1 Hygiene procedures

- Pupils are reminded to wash their hands before and after eating
- Sharing of food is not allowed
- Pupils have their own water bottles

5.2 Catering

The school is committed to providing safe food options to meet the dietary needs of pupils with allergies.

- Catering staff receive appropriate training and are able to identify pupils with allergies, this is provided by CityWide.
- School menus are available for parents/carers to view with ingredients clearly labelled
- Where changes are made to school menus, we will make sure these continue to meet any special dietary needs of pupils
- Food allergen information relating to the 'top 14' allergens is displayed on the packaging of all food products, allowing pupils and staff to make safer choices. Allergen information labelling will follow all [legal requirements](#) that apply to naming the food and listing ingredients, as outlined by the Food Standards Agency (FSA)
- Catering staff follow hygiene and allergy procedures when preparing food to avoid cross-contamination

5.3 Food restrictions

We acknowledge that it is impractical to enforce an allergen-free school. However, we would like to encourage pupils and staff to avoid certain high-risk foods to reduce the chances of someone experiencing a reaction. These foods include:

- Packaged nuts
- Cereal, granola or chocolate bars containing nuts
- Peanut butter or chocolate spreads containing nuts
- Peanut-based sauces, such as satay
- Sesame seeds and foods containing sesame seeds

If a pupil brings these foods into school, they may be asked to eat them away from others to minimise the risk, or the food may be confiscated.

5.4 Insect bites/stings

When outdoors:

- Shoes should always be worn
- Food and drink should be covered

5.5 Animals

- All pupils will always wash hands after interacting with animals to avoid putting pupils with allergies at risk through later contact
- Pupils with animal allergies will not interact with animals

5.6 Support for mental health

Pupils with allergies will have additional support through:

- Pastoral care with Christine Boote
- Regular check-ins with their class teacher and supporting adult

5.7 Events and school trips

- For events, including ones that take place outside of the school, and school trips, no pupils with allergies will be excluded from taking part
- The school will plan accordingly for all events and school trips, and arrange for the staff members involved to be aware of pupils' allergies and to have received adequate training
- Appropriate measures will be taken in line with the schools AAI protocols for off-site events and school trips (see section 7.5).

6. Procedures for handling an allergic reaction

6.1 Register of pupils with AAI

- The school maintains a register of pupils who have been prescribed AAI or where a doctor has provided a written plan recommending AAI to be used in the event of anaphylaxis. The register includes:
 - Known allergens and risk factors for anaphylaxis
 - Whether a pupil has been prescribed AAI(s) (and if so, what type and dose)
 - Where a pupil has been prescribed an AAI, whether parental consent has been given for use of the spare AAI, which may be different to the personal AAI prescribed for the pupil
 - A photograph of each pupil to allow a visual check to be made (this will require parental consent)
- The register is kept in the Asthma box and can be checked quickly by any member of staff as part of initiating an emergency response

6.2 Allergic reaction procedures

- As part of the whole-school awareness approach to allergies, all staff are trained in the school's allergic reaction procedure, and to recognise the signs of anaphylaxis and respond appropriately
- Training is completed annually
- Staff are trained in the administration of AAI to minimise delays in pupil's receiving adrenaline in an emergency
- If a pupil has an allergic reaction, the staff member will initiate the school's emergency response plan, following the pupil's allergy action plan
 - If an AAI needs to be administered, a member of staff will use the pupil's own AAI, or if it is not available, a school one

- If the pupil has no allergy action plan, staff will follow the school's procedures on responding to allergy and, if needed, the school's normal emergency procedures. Use the NHS advice on [treatment of anaphylaxis](#) and Anaphylaxis UK's advice on [what to do in an emergency](#)
- A school AAI device will be used instead of the pupil's own AAI device if:
 - Medical authorisation and written parental consent have been provided, or
 - The pupil's own prescribed AAI(s) are not immediately available (for example, because they are broken, out-of-date, have misfired or been wrongly administered)
- If a pupil needs to be taken to hospital, staff will stay with the pupil until the parent/carer arrives, or accompany the pupil to hospital by ambulance
- If the allergic reaction is mild (e.g., skin rash, itching or sneezing), the pupil will be monitored and the parents/carers informed

7. Adrenaline auto-injectors (AAIs)

Following the Department of Health and Social Care's Guidance on using [emergency adrenaline auto-injectors in schools](#), set out your school's procedures for AAIs, covering these areas:

7.1 Purchasing of spare AAIs

The allergy lead is responsible for buying AAIs and ensuring they are stored according to the guidance.

- Debbie Carling and Christine Boote liaise with each other and school office staff to order the AAI's from an online pharmacy, including;
- The quantity of AAIs required. School has two spare AAIs
- AAIs are kept in the original manufacturers packaging and instructions
- The dosage required
 - For children age under 6 years: a dose of 150 microgram (0.15 milligram) of adrenaline is used (e.g., using an Epipen Junior (0.15mg), Emerade 150 or Jext 150 microgram device).
 - For children age 6-12 years: a dose of 300 microgram (0.3 milligram) of adrenaline is used (e.g. using an Epipen (0.3mg), Emerade 300 or Jext 300 microgram device).

7.2 Storage (of both spare and prescribed AAIs)

The allergy lead will make sure all AAIs are:

- Stored at room temperature (in line with manufacturer's guidelines), protected from direct sunlight and extremes of temperature
- Kept in a safe and suitably central location to which all staff have access at all times, but is out of the reach and sight of children
- **Not** locked away, but accessible and available for use at all times
- **Not** located more than 5 minutes away from where they may be needed

Spare AAIs will be kept separate from any pupil's own prescribed AAI, and clearly labelled to avoid confusion.

7.3 Maintenance (of spare AAIs)

Christine Boote and school office staff are responsible for checking monthly that:

- The AAI's are present and in date
- Replacement AAI's are obtained when the expiry date is near

7.4 Disposal

AAI's can only be used once. Once an AAI has been used, it will be disposed of in line with the manufacturer's instructions, or given back to the parent to dispose of appropriately

7.5 Use of AAI's off school premises

- Pupils at risk of anaphylaxis who are able to administer their own AAI's should carry their own AAI with them on school trips and off-site events
- School will take an emergency AAI alongside emergency asthma inhaler on school trips and visits

7.6 Emergency anaphylaxis kit

The school holds an emergency anaphylaxis kit. This includes:

- Spare AAI's
- Instructions for the use of AAI's
- Instructions on storage
- Manufacturer's information
- A checklist of injectors, identified by batch number and expiry date with monthly checks recorded
- A note of arrangements for replacing injectors
- A list of pupils to whom the AAI can be administered
- A record of when AAI's have been administered

8. Training

The school is committed to training all staff in allergy response. This includes:

- How to reduce and prevent the risk of allergic reactions
- How to spot the signs of allergic reactions (including anaphylaxis)
- The importance of acting quickly in the case of anaphylaxis
- Where AAI's are kept on the school site, and how to access them
- How to administer AAI's
- The wellbeing and inclusion implications of allergies
- Training will be carried out annually by the allergy lead

9. Links to other policies

This policy links to the following policies and procedures:

- Health and safety policy
- Supporting pupils with medical conditions policy
- School food policy



Adrenaline_auto_in
jectors_in_schools.p



Medication Policy
2026.pdf